This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

Figure 1A




Figure 1B




Figure 1C




Figure 1D




Figure 1E




Figure 1F





Figure 2



- ..

Figure 3A




Figure 3B




Figure 3C




Figure 3D




Figure 3E





Figure 4



(absorbance @ 550 nm)

Figure 5A




Figure 5B




Figure 6A




Figure 6B




Figure 6C




Figure 6D




Figure 6E





FIGURE 7






FIGURE 7d




FIGURE 8A





FIGURE 8B

25/35

FIGURE 9






FIGURE 10




FIGURE 11




FIGURE 12






FIGURE 13a





31/35

FIGURE 14

PCR:CD39






FIGURE 15











FIGURE 16







Ischemia/reperfusion



Ischemia/reperfusion

35/35 FIGURE 18

